



# Talos BEER COOLER AND KEGERATOR SERIES

The kegerator can be used for beer as well as a variety of beverages such as soda, kombucha, coffee, nitro cold brew and more.

## DORMANT CABIN



Part No.1080341

- Voltage(V): 220~240
- Frequency(Hz):50
- Power(W):150
- Current(A): 1.26
- Compressor(Hp):1/4
- Refrigerant:R134a/90g
- Thermostat: Digital
- Cooling system: Dry Cooling
- Outlet temperature(℃): 3~7
- Demesions:37cm Lx33cm Wx58.5cm H

# BEER EGG



Part No.1081051



- Voltage(V): 220~240
- Frequency(Hz):50
- Power(W):70
- Current(A): 0.40
- Compressor(Hp):1/4
- Refrigerant:R600a/30g
- Thermostat: Digital
- Surface: Black
- Cooling system: Dry Cooling
- Outlet temperature(°C): 3~7
- N.W Unit(kg):12.50
- Demesions:49.5cm Lx31 cm Wx48cm H

# DIMPLE



Part No. 1119201



Part No. 1119202



Part No. 1119203

# BEER COOLER

## STANDARD CE

Standard equipped with Embraco compressor, fast cool, low energy consumption, strong stability

Specially developed thermostat for beer cooler only

Refrigerant: R134a/R290

German high-tech professional refrigerant filling equipment and leak detection equipment, to ensure performance and safety.

Evaporator with double-row copper coil can shorten freezing time and increase cooling capacity.

Plastic-sprayed galvanized plate housing, anti-corrosion and anti-rust, more economical.



70L Standard Beer Cooler  
1080203



30L Standard Beer Cooler  
1083012



40L Standard Beer Cooler  
1084012



55L Standard Beer Cooler  
1085513

### SPECIFICATIONS

Part No.	1083012	1084012	1085513	1080203
Volts(V)	220~240	220~240	220~240	220~240
Frequency( Hz )	50/60	50/60;50	50	50
Power( W )	325	350;400	410	430;450
Current(A)	2.1	2.5;2.9	3.0	3.1;3.3
Compressor(Hp)	1/4	1/4;1/3*	1/3*	1/3*;1/2
Refrigerant:	R134a/180g	R134a/200;230g	R134a/260g	R134a/320;360g
Capacity(L):	30	40	55	70
Beer Coil	1,2,4	2,3,4,5	2,3,4,5,6,8,10	2,3,4,6,7,8
Cooling system:	Water Cooling	Water Cooling	Water Cooling	Water Cooling
Thermostat:	Mechanical	Mechanical	Mechanical	Mechanical
Surface:	Black	Black	Black	Black
Outlet temperature(°C):	3~7	3~7	3~7	3~7
Unit Dimensions:	41.9cm Lx41.7cm W x61cm H	41.9cm Lx41.7cm W x68cm H	48.1cm Lx48.1cm W x72cm H	52.1cm Lx51.7cm W x80cm H
N.W Unit( kg):	30.20	35.00	46.00	52.00
Box Dimensions:	45cm Lx45cm Wx65cm H	45cm Lx45cm Wx72cm H	55cm Lx54cm Wx77cm H	57cm Lx57cm Wx86cm H
G.W Unit( kg):	33.30	38.20	49.30	55.40

Talos warranty period: One (1) years for parts and labor, Two (2) years for compressor (parts only).

## BEER COOLER

# ENHANCED ENCLOSED TYPE CE

Standard equipped with Embraco compressor, fast cool, low energy consumption, strong stability

Specially developed thermostat for beer cooler only

Refrigerant: R134A/R290

German high-tech professional refrigerant filling equipment and leak detection equipment, to ensure performance and safety.

Evaporator with double-row copper coil can shorten freezing time and increase cooling capacity.

Plastic-sprayed galvanized plate housing, anti-corrosion and anti-rust, more economical.

Flat top design: the water pump is not exposed, horizontal connections for beer tubes.

Standard equipped with casters: 2 fixed casters + 2 universal casters



100L Enhanced Enclosed Type Beer Cooler

1089893



30L Enhanced Enclosed Type Beer Cooler

1083093



40L Enhanced Enclosed Type Beer Cooler

1084093



55L Enhanced Enclosed Type Beer Cooler

1085593



70L Enhanced Enclosed Type Beer Cooler

1087093

### SPECIFICATIONS

Part No.	1083093	1084093	1085593	1087093	1089893
Volts(V)	220~240	220~240	220~240	220~240	220~240
Frequency( Hz )	50	50	50	50	50
Power( W )	340;360	400;420	450	430;450;722	580
Current(A)	2.8;3.39	2.9;3.5	3.5	3.1;3.3;3.7	4.0
Compressor(Hp)	1/3';1/2	1/3';1/2	1/2	1/3';1/2;3/4	3/4
Refrigerant:	R134a/230g	R134a/230g	R134a/290g	R134a/320;360;365g	R134a/320g
Capacity(L):	30	40	55	70	100
Beer Coil	1,2,3	2,3,4	2,3,4,5,6	4,6,8	4,6,8,10,12
Cooling system:	Water Cooling	Water Cooling	Water Cooling	Water Cooling	Water Cooling
Thermostat:	Mechanical	Mechanical	Mechanical	Mechanical	Mechanical
Surface:	Black	Black	Black	Black	Black
Outlet temperature(°C):	3~7	3~7	3~7	3~7	3~7
Unit Dimensions:	42cm Lx41.7cm W x66cm H	42cm Lx41.7cm W x72cm H	48.2cm Lx48.2cm W x78cm H	51.8cm Lx51.5cm W x83cm H	60.6cm Lx55.8cm W x93cm H
N.W Unit( kg):	35.00	38.00	49.00	56.00	83.00
Box Dimensions:	50.5cm Lx45.5cm W x68cm H	48cm Lx45cm W x74cm H	58cm Lx51.5cm W x80cm H	54.5cm Lx54.5cm W x84cm H	68cm Lx57.5cm W x93cm H
G.W Unit( kg):	38.20	41.20	52.30	59.40	86.50

Talos warranty period: One (1) years for parts and labor, Two (2) years for compressor (parts only).

# POWER PACK CE

## CAPABILITIES:

fast action cooling with advanced temperature control and high efficiency pressure system designed for long distances in variable directions.



Power Pack 2-pumps  
1085585 / 1085586

# POWER PACK CE

## AMERICAN PUMP

Part No.1119905

- Voltage(V): 220~240
- Frequency(Hz):50
- Power(W):27
- Current(A): 0.85
- N.W Unit(kg):4.50
- Demesions:36.1 cm Lx19cm Wx14.9cm H



Power Pack 1-pump  
1085575/1085576

## SPECIFICATIONS

Part No.	1085575	1085576	1085585	1085586
Volts(V)	220~240	220~240	220~240	220~240
Frequency( Hz )	50	50	50	50
Power( W )	500	610	585	610
Current(A)	3.70	4.00	5.20	6.40
No. Of pump	1	1	2	2
Compressor(Hp)	1/3'	1/3'	1/2	1/2
Refrigerant:	R134a/320g	R134a/320g	R134a/320g	R134a/320g
Certification	CE	CE	CE	CE
Cooling System:	Water Cooling	Water Cooling	Water Cooling	Water Cooling
Bath Capacity	55.00	55.00	55.00	55.00
N.W Unit ( kg)	56.00	64.00	56.00	64.00
G.W Unit ( kg)	60.00	68.00	60.00	68.00
Dimensions( in )	64.5cm Lx52.6cm W x69.5cm H	64.5cm Lx52.6cm W x69.5cm H	64.5cm Lx52.6cm W x69.5cm H	64.5cm Lx52.6cm W x69.5cm H

Talos warranty period: One (1) years for parts and labor, Two (2) years for compressor (parts only).

## BEER COOLER

# COLD ROOM COOLER CE

### CAPABILITIES:

fast action cooling with advanced temperature control and high efficiency pressure system designed for long distances in variable directions.



1089887

### SPECIALIZED FOR COLD ROOM

Part No. 1089887

- Voltage(V): 220~240
- Frequency(Hz):50
- Power(W):800
- Current(A): 5.50
- Compressor(Hp):1
- Refrigerant:R404a/500g
- Beer Coil:6,8,10,12
- N.W Unit(kg):103.00
- G.W Unit(kg):109.00
- Cooling system: Water Cooling
- Thermostat: Mechanical
- Surface: Black
- Outlet temperature(°C): 3~7
- Case temperature(°C):0~8
- Demesions:73.9cm Lx55.3cm Wx76.7cm H
- Box Dimensions:
- Indoor Unit:76cm Lx60cm Wx102cm H
- Outdoor Unit:58cm Lx37cm Wx39cm H

Talos warranty period: One (1) years for parts and labor, Two (2) years for compressor (parts only).

# WATER PUMP CE



Water Pump 23m  
1115104-03



Water Pump 7m  
1080401-00



Mini Water Pump (yyhs)  
1081441-45

### SPECIFICATIONS

Part No.	1115104-03	1080401-00	1081441-45
Voltage(V):	230	230	230
Frequency(Hz):	50/60	50	50/60
Power(W):	90	35	10
Current(A):	0.70	0.30	0.14
Rpm:	2200	2650	2200
Pump Lift:	23m	6.5m	3m
N.W Unit(kg):	3.24	1.98	1.00
Demesions:	17.4cm Lx11.1cm W x36.9cm H	16.6cm Lx11cm W x29.2cm H	10.4cm Lx9.2cm W x21cm H
G.W Unit(kg):	3.565	3.00	3.00
Box Dimensions:	45.3cm Lx18.7cm W x14.2cm H	49.5cm Lx36.5cm W x36.5cm H	49.5cm Lx36.5cm W x36.5cm H

# MOBILE COOLER CE



Cooler Cart  
1080239

## COOLER CART

Part No. 1080239

- Demesions: 89cm Lx106cm Wx83.2cm H
- N.W Unit (kg): 122.00
- Box Dimensions: 106.5cm Lx91cm Wx101.5cm H
- G.W Unit (kg): 146.00

Talos warranty period: One (1) years for parts and labor,  
Two (2) years for compressor (parts only).

Standard equipped with Embraco compressor, fast cool, low energy consumption, strong stability  
Specially developed thermostat for beer cooler only  
Refrigerant: R134A/R290  
German high-tech professional refrigerant filling equipment and leak detection equipment,  
to ensure performance and safety.  
Evaporator with double-row copper coil can shorten  
freezing time and increase cooling capacity.  
Housing material: galvanized plate/SS304  
Standard equipped with casters: 2 fixed casters  
+ 2 universal casters



70L Mobile Cooler  
1087022

## SPECIFICATIONS

Part No.	1084022	1087022
Voltage (V):	220~240	220~240
Frequency (Hz):	50/60	50,60
Power (W):	335;400	430, 450, 722
Current (A):	2.2;2.9	3.1, 3.3 3.7
Compressor (Hp):	1/4;1/3"	1/3", 1/2, 3/4
Refrigerant:	R134a/230g	R134a/320;360g, R404a/365g
Capacity (L):	40	70
Cooling system:	Water Cooling	Water Cooling
Thermostat:	Mechanical	Mechanical
Surface:	Polished S.S	Polished S.S
Outlet temperature (°C):	3~7	3~7
Demensions:	42.3cm Lx42cm Wx72.9cm H	51cm Lx51.3cm Wx82.5cm H
N.W Unit (kg):	38.00	48.00
Box Dimensions:	49cm Lx44.5cm Wx84cm H	54.5cm Lx54.5cm Wx93cm H
G.W Unit (kg):	41.00	51.40

Talos warranty period: One (1) years for parts and labor, Two (2) years for compressor (parts only).



40L Mobile Cooler  
1084022



# TOP COUNTER COOLER CE

Standard equipped with Embraco compressor, fast cool,  
 low energy consumption, strong stability  
 Specially developed thermostat for beer cooler only  
 Cooling system: water cooling/dry cooling  
 Refrigerant: R134A/R290  
 German high-tech professional refrigerant filling equipment and  
 leak detection equipment, to ensure performance and safety.  
 Housing material: galvanized plate/SS304



10L Dual-cooling Desktop  
 1080986



1-Way Top Counter Cooler  
 1081651



2-Way Top Counter Cooler  
 1081652

## SPECIFICATIONS

Part No.	1081651/1081652	1080986
Faucet(pcs):	1/2	1
Voltage(V):	220~240	220~240
Frequency(Hz):	50	50
Power(W):	225	250
Current(A):	1.60	1.70
Compressor(Hp):	1/4	1/4
Refrigerant:	R134a/140g	R134a/145g
Capacity(L):	16	/
Beer Coil:	1/2	/
Cooling system:	Water Cooling	/
Thermostat:	Mechanical	Water Cooling+Direct Cooling
Surface:	Black	Mechanical
Outlet temperature(°C):	3~7	3~7
Case temperature(°C):	0~8	/
Demensions:	51.3cm Lx41.9cm Wx27.6cm H	60.2cm Lx31.8cm Wx51.6cm H
N.W Unit(kg):	25.00	/
Box Dimensions:	53.5cm Lx45cm Wx28.5cm H	/
G.W Unit( kg):	25.50	/

Talos warranty period: One (1) years for parts and labor, Two (2) years for compressor (parts only).

# TOP COUNTER COOLER CE

Standard equipped with Embraco compressor, fast cool,  
 low energy consumption, strong stability  
 Specially developed thermostat for beer cooler only  
 Cooling system: water cooling/dry cooling  
 Refrigerant: R134A/R290  
 German high-tech professional refrigerant filling equipment and  
 leak detection equipment, to ensure performance and safety.  
 Housing material: galvanized plate/SS304



1-Way Top Counter Cooler  
 (dry Cooling)  
 1081347



2-Way Top Counter Cooler(dry Cooling)  
 1081348



1-Way 14L Top Counter Cooler  
 (water Cooling)  
 1081441



2-Way 14L Top Counter Cooler  
 (water Cooling)  
 1081442

## SPECIFICATIONS

Part No.	1081347/1081348	1081441/1081442
Faucet(pcs):	1/2	1/2
Voltage(V):	220~240	220~240
Frequency(Hz):	50	50/60
Power(W):	255/310	220
Current(A):	1.7/2.6	1.80
Compressor(Hp):	1/4 1/3'	1/4
Refrigerant:	R134a/125g	R134a/150g
Beer Coil:	1/2	1/2
Cooling system:	Dry Cooling	Water Cooling
Thermostat:	Mechanical	Mechanical
Surface:	Polished S.S	Polished S.S
Outlet temperature(°C):	3~7	3~7
Case temperature(°C):	0~8	0~8
Demensions:	39.5cm Lx26cm Wx49.5cm H	41cm Lx28.7cm Wx51.1cm H
N.W Unit(kg):	19.00	24.00
Box Dimensions:	39.5cm Lx28cm Wx52cm H	56.5cm Lx28.5cm Wx49.5cm H
G.W Unit( kg):	21.50	25.50

Talos warranty period: One (1) years for parts and labor, Two (2) years for compressor (parts only).

# REFRIGERATOR CE

Our multi-functional kegerator system utilizes smart dual cooling technology to adapt to indoor and outdoor temperatures ensuring that beverages stay cool. The kegerator can be used for beer as well as a variety of beverages such as soda, kombucha, coffee, nitro cold brew and more.

- Black
- Silver



Air Cooling Refrigerator  
1080185



Dual-Cooling Refrigerator  
1080184

## SPECIFICATIONS

Part No.	1080185	1080184
Faucet(pcs):	4	4
1/6"barrels capacity:	4	4
Voltage(V):	220~240	220~240
Frequency(Hz):	50	50
Power(W):	330	370
Current(A):	2.20	2.70
Compressor(Hp):	1/4	1/3"
Refrigerant:	R134a/190g	R134a/205g
Door:	1	1
Cooling system:	Air cooling	Dry Cooling + Air Cooling
Thermostat:	Mechanical	Mechanical
Surface:	Black/Silver	Black/Silver
Outlet temperature(°C):	3~7	3~7
Case temperature(°C):	0~8	0~8
Demensions:	60.1cm Lx79.1cm Wx100cm H	60.1cm Lx79.1cm Wx100cm H
N.W Unit(kg):	60.00	80.50
Box Dimensions:	84.5cm Lx65cm Wx101cm H	84.5cm Lx65cm Wx101cm H
G.W Unit( kg):	76.00	96.50

Talos warranty period: One (1) years for parts and labor, Two (2) years for compressor (parts only).

# REFRIGERATOR CE

Our multi-functional kegerator system utilizes smart dual cooling technology to adapt to indoor and outdoor temperatures ensuring that beverages stay cool. The kegerator can be used for beer as well as a variety of beverages such as soda, kombucha, coffee, nitro cold brew and more.

- Black
- Silver



Economy Refrigerator  
1080182



US Kegerator  
1081101

## SPECIFICATIONS

Part No.	1080182	1081101
Faucet(pcs):	4	1
1/6"barrels capacity:	4	2
Voltage(V):	110~115	220~240
Frequency(Hz):	60	50
Power(W):	54.50	90
Current(A):	0.65	0.74
Compressor(Hp):	1/10	1/5
Refrigerant:	R600a/1.4OZ	R600a
Door:	1	1
Cooling system:	Air cooling	Direct Cooling
Thermostat:	Mechanical	Mechanical
Surface:	Black/Silver	Black
Outlet temperature(°C):	3~7	3~7
Case temperature(°C):	0~8	0~8
Demensions:	79.1cm Lx60.2cm Wx89.6cm H	64.5cm Lx54cm Wx91.5cm H
N.W Unit(kg):	63.00	32.00
Box Dimensions:	84.5cm Lx65cm Wx101 cm H	70cm Lx58cm Wx88cm H
G.W Unit( kg):	79.00	36.00

Talos warranty period: One (1) years for parts and labor, Two (2) years for compressor (parts only).

# REFRIGERATOR CE

Our multi-functional kegerator system utilizes smart dual cooling technology to adapt to indoor and outdoor temperatures ensuring that beverages stay cool. The kegerator can be used for beer as well as a variety of beverages such as soda, kombucha, coffee, nitro cold brew and more.

- Black
- Silver



6 Keg Dual-cooling Refrigerator  
1080689



4 Keg Dual-cooling Refrigerator  
1080489

## SPECIFICATIONS

Part No.	1080689	1080489
Faucet(pcs):	4	2
1/6"barrels capacity:	1/6	4
Voltage(V):	220~240	220~240
Frequency(Hz):	50	50
Power(W):	383	460
Current(A):	3.20	3.20
Compressor(Hp):	1/2	1/2
Refrigerant:	R134a/290g	R134a/290g
Door:	2	1
Cooling system:	Water Cooling + Air Cooling	Water Cooling + Air Cooling
Thermostat:	Mechanical + Digital	Mechanical + Digital
Surface:	Black/Silver	Black/Silver
Outlet temperature(°C):	3~7	3~7
Case temperature(°C):	0~8	0~8
Demensions:	72.5cm Lx61.5cm Wx81.5cm H	49cm Lx61.5cm Wx81.5cm H
N.W Unit(kg):	130.00	116.00
Box Dimensions:	127cm Lx79.5cm Wx105.5cm H	103.5cm Lx79.5cm Wx96cm H
G.W Unit( kg):	156.00	137.00

Talos warranty period: One (1) years for parts and labor, Two (2) years for compressor (parts only).

# REFRIGERATOR CE

Our multi-functional kegerator system utilizes smart dual cooling technology to adapt to indoor and outdoor temperatures ensuring that beverages stay cool. The kegerator can be used for beer as well as a variety of beverages such as soda, kombucha, coffee, nitro cold brew and more.

- Black
- Silver



8 Keg Dual-cooling Refrigerator  
1080889



11 Keg Dual-cooling Refrigerator  
1080989

## SPECIFICATIONS

Part No.	1080989	1080889
Faucet(pcs):	8	6
1/6"barrels capacity:	11	8
Voltage(V):	220~240	220~240
Frequency(Hz):	50	50
Power(W):	600	420
Current(A):	4.20	3.20
Compressor(Hp):	1/3"	1/2
Refrigerant:	R134a/230g	R134a/290g
Door:	2	2
Cooling system:	Water Cooling + Air Cooling	Water Cooling + Air Cooling
Thermostat:	Mechanical + Digital	Mechanical + Digital
Surface:	Black/Silver	Black/Silver
Outlet temperature(°C):	3~7	3~7
Case temperature(°C):	0~8	0~8
Demensions:	109cm Lx61.5cm Wx81.5cm H	96cm Lx61.5cm Wx81.5cm H
N.W Unit(kg):	160.00	158.00
Box Dimensions:	163.5cm Lx79.5cm Wx106cm H	154.5cm Lx79.5cm Wx105.5cm H
G.W Unit( kg):	194.00	189.00

Talos warranty period: One (1) years for parts and labor, Two (2) years for compressor (parts only).

# REFRIGERATOR CE

Our multi-functional kegerator system utilizes smart dual cooling technology to adapt to indoor and outdoor temperatures ensuring that beverages stay cool. The kegerator can be used for beer as well as a variety of beverages such as soda, kombucha, coffee, nitro cold brew and more.

fast action cooling with advanced temperature control and high efficiency pressure system designed long distances in variable directions.

- Black
- Silver



4 Keg Refrigerator  
1080487



2 Keg Refrigerator  
1080287

## SPECIFICATIONS

Part No.	1080487	1080287
Faucet(pcs):	2	1
1/6"barrels capacity:	4	2
Voltage(V):	220~240	220~240
Frequency(Hz):	50	50
Power(W):	190	120
Current(A):	1.90	0.85
Compressor(Hp):	1/4'	1/7
Refrigerant:	R134a/260g	R134a/210g
Door:	1	1
Cooling system:	Air cooling	Air cooling
Thermostat:	Digital	Mechanical
Surface:	Black/Silver	Black/Silver
Outlet temperature(°C):	3~7	3~7
Case temperature(°C):	0~8	0~8
Demensions:	49cm Lx61.5cm Wx81.5cm H	47.4cm Lx79.1cm Wx100cm H
N.W Unit(kg):	73.00	65.00
Box Dimensions:	95.5cm Lx79.5cm Wx105.5cm H	50cm Lx83cm Wx103cm H
G.W Unit( kg):	94.00	85.00

Talos warranty period: One (1) years for parts and labor, Two (2) years for compressor (parts only).

# REFRIGERATOR CE

Our multi-functional kegerator system utilizes smart dual cooling technology to adapt to indoor and outdoor temperatures ensuring that beverages stay cool. The kegerator can be used for beer as well as a variety of beverages such as soda, kombucha, coffee, nitro cold brew and more.

fast action cooling with advanced temperature control and high efficiency pressure system designed long distances in variable directions.

- Black
- Silver



8 Keg Refrigerator  
1080887



6 Keg Refrigerator  
1080687

## SPECIFICATIONS

Part No.	1080887	1080687
Faucet(pcs):	6	4
1/6"barrels capacity:	8	6
Voltage(V):	220~240	220~240
Frequency(Hz):	50	50
Power(W):	400	320
Current(A):	3.10	2.50
Compressor(Hp):	1/3"	1/3"
Refrigerant:	R134a/270g	R134a/260g
Door:	2	2
Cooling system:	Air cooling	Air cooling
Thermostat:	Digital	Digital
Surface:	Black/Silver	Black/Silver
Outlet temperature(°C):	3~7	3~7
Case temperature(°C):	0~8	0~8
Demensions:	96cm Lx61.5cm Wx81.5cm H	72.5cm Lx51.5cm Wx81.5cm H
N.W Unit(kg):	95.00	84.00
Box Dimensions:	146.5cm Lx79.5cm Wx105.5cm H	119cm Lx79.5cm Wx105.5cm H
G.W Unit( kg):	126.00	110.00

Talos warranty period: One (1) years for parts and labor, Two (2) years for compressor (parts only).



# REFRIGERATOR CE

Our multi-functional kegerator system utilizes smart dual cooling technology to adapt to indoor and outdoor temperatures ensuring that beverages stay cool. The kegerator can be used for beer as well as a variety of beverages such as soda, kombucha, coffee, nitro cold brew and more.

fast action cooling with advanced temperature control and high efficiency pressure system designed long distances in variable directions.

- Black
- Silver



14 Keg Refrigerator  
1080787



11 Keg Refrigerator  
1080987

## SPECIFICATIONS

Part No.	1080787	1080987
Faucet(pcs):	10	8
1/6"barrels capacity:	14	11
Voltage(V):	220~240	220~240
Frequency(Hz):	50	50
Power(W):	535	525
Current(A):	4.90	4.70
Compressor(Hp):	1/3"	1/3"
Refrigerant:	R134a/290g	R134a/270g
Door:	3	2
Cooling system:	Air cooling	Air cooling
Thermostat:	Digital	Digital
Surface:	Black/Silver	Black/Silver
Outlet temperature(°C):	3~7	3~7
Case temperature(°C):	0~8	0~8
Demensions:	158cm Lx73.8cm Wx91.5cm H	105cm Lx61.5cm Wx81.5cm H
N.W Unit(kg):	115.00	123.00
Box Dimensions:	209cm Lx79.5cm Wx106cm H	155.5cm Lx79.5cm Wx106cm H
G.W Unit( kg):	146.00	157.00

Talos warranty period: One (1) years for parts and labor, Two (2) years for compressor (parts only).

# MOBILE TAP WALL CE

- Black
- Silver



Cold Room System Beer Cooler  
1080986

## COLD ROOM SYSTEM BEER COOLER

Part No.1080986

- Faucet(pcs):1
- 1/6"barrels capacity:2
- Voltage(V): 220~240
- Frequency(Hz):50
- Power(W):525
- Current(A): 4.70
- Compressor(Hp):1/3"
- Refrigerant:R134a/270g
- Door: 2
- Cooling system:Air Cooling
- Thermostat: Digital
- Surface: Black/Silver
- Outlet temperature(°C): 3~7
- Case temperature(°C):0~8
- Demesions:126.2cm Lx73.8cm Wx202.5cm H
- N.W Unit(kg):156.00
- Box Dimensions:155.5cm Lx79.5cm Wx215cm H
- G.W Unit( kg):158.00

Talos warranty period: One (1) years for parts and labor,  
Two (2) years for compressor (parts only).