




ice cream
**Pasmo
pascal**

PP

- PASMO PASCAL -

About Us

TAIZHOU PASMO FOOD TECHNOLOGY CO.,LTD



1978

-Zhejiang Huangyan Jingyi Mould Factory was founded.

2008

-Taizhou Sumstar Refrigeration Co., Ltd. was founded.

2011

-Cooperated with Assumption University of Thailand

2014

-Taiwan Pasma founded.

2016

-Register Pasma Pascal to march international high-end market

1997

-Zhejiang Huangyan Chaoba Appliances Co., Ltd. was founded.

2009


-Awarded provincial high and new technology enterprise title of honour and National industrial support fund.
-Gained CE certificate and LFGB certificate

2013

-Taizhou Pasma Food Technology Co., LTD.was established with the joint of Tafa(thailand) and Pasma Australia.

2015


-Pasma has set up branches all over the world since 2015; by now a dozen of branches has been established.



Soft Ice Cream Machine S111



Product features



(Tips: More outward, better performance)

Pasteurization

No need for cleaning for 14 days

Personalized customization

Customized panel

Air pump system



Product parameters

Capacity: 50L/H	Specification: 720*510*823mm(DWH)	Self-check
Hopper: 1*25L	Carton size : 860*650*990mm(DWH)	Mix-low alarm
Cylinder capacity: 2.5L	N.W.: 150Kg	Beater type: SS304
Power: 2.2KW	G.W.: 160Kg	Hopper agitator

Refrigeration system

No. of compressors : 1	Gas of compressor : R404A
Compressor brand : EMBRACO/TECUMSEH	Compressor capacity: 4485BTU/h
Refrigeration type: Air cool/ Water cool(optional)	

Transmission system

Motor: 1*1100W	Voltage type: 220V/380V-50Hz/60Hz
----------------	-----------------------------------

*production capacity depends on the mix used and the room temperature

All specifications mentioned must be considered approximate; Pasmopascal reserves the right to modify, without notice, all parts deemed necessary

5 Reasons CAN NOT REFUSE

- Never frozen cylinder
- No cleaning
- Ultrahigh production
- Customization
- Extra high overrun

1

Eliminate frozen cylinder

One touch cyclic heating function, solves frozen cylinder problem completely.

2

Pasteurization

No-clean for 14 days, keep the mixture fresh all the time.

3

Ultrahigh production

Continuously discharging even during the peak time, no more waiting from now on.

4

Customization

Customized display board, nicer appearance, do the design as much as you like.


5

Extra high overrun

Adjustable overrun, with a maximum up to 85%.

Soft Ice Cream Machine S110F

Product features



(Tips: More outward, better performance)

Compact size

Powerful performance with compact size

Frequency conversion

Adopt the most advanced soft-starting technology, safer and more energy-saving

Gravity feed



Product parameters

Capacity: 20L/H	Specification: 720*385*728mm(DWH)	Self-check
Hopper: 1*9.5L	Carton size : 830*500*840mm(DWH)	Mix-low alarm
Cylinder capacity: 1.6L	N.W.: 90Kg	Beater type: SS304
Power: 1.5KW	G.W.: 100Kg	Hopper agitator

Refrigeration system

No. of compressors : 1	Gas of compressor : R404A
Compressor capacity: 2800BTU/h	Refrigeration type: Air cool
Compressor brand : EMBRACO/TECUMSEH	

Transmission system


Motor: 1*370W	Voltage type: 220V/110V-50Hz/60Hz
---------------	-----------------------------------

*production capacity depends on the mix used and the room temperature

All specifications mentioned must be considered approximate; Pasmco reserves the right to modify, without notice, all parts deemed necessary

Soft Ice Cream Machine S930-FT

Product features



(Tips: More outward, better performance)

Options

- Air pump
- Up ventilation

Integrated frozen cylinder

No dead angle, prevent the growth of bacteria

Pasteurization

No need for cleaning for 14 days

Air pump system



(Gravity model)

Product parameters

Capacity: 40L/H	Specification: 635*380*803mm(DWH)	Self-check
Hopper: 1*9.5L	Carton size : 875*525*970mm(DWH)	Mix-low alarm
Cylinder capacity: 2.0L	N.W.: 110Kg(F)/120Kg(P)	Beater type: SS304
Power: 1.8KW (F) / 2KW(P)	G.W.: 120Kg(F)/130Kg(P)	Hopper agitator

Refrigeration system

No. of compressors : 1	Gas of compressor : R404A
Compressor brand : EMBRACO/TECUMSEH	Compressor capacity: 3753BTU/h (F) / 4485BTU/h (P)
Refrigeration type: Air cool	

Transmission system


Motor: 750W	Voltage type: 220V-50Hz/60Hz
-------------	------------------------------

*production capacity depends on the mix used and the room temperature

All specifications mentioned must be considered approximate; Pasmco reserves the right to modify, without notice, all parts deemed necessary

Soft Ice Cream Machine S230F

Product features



(Tips: More outward, better performance)

Intelligent fault detection

Intellectual detection, multiple security

Standby function

Keep the temperature of hopper and cylinder remain 1-4.5°C in the evening



Product parameters

Capacity: 30L/H	Specification: 770*520*969mm(DWH)	Self-check
Hopper: 2*9.5L	Carton size : 880*650*1060mm(DWH)	Mix-low alarm
Cylinder capacity: 1.6L*2	N.W.: 168Kg	Beater type: SS304
Power: 3KW	G.W.: 183Kg	Hopper agitator

Refrigeration system

No. of compressors : 2	Gas of compressor : R404A
Compressor brand : EMBRACO/TECUMSEH	Compressor capacity: 2800BTU/h*2
Refrigeration type: Air cool	

Transmission system


Motor: 2*370W	Voltage type: 220V/380V-50Hz/60Hz
---------------	-----------------------------------

*production capacity depends on the mix used and the room temperature

All specifications mentioned must be considered approximate; Pasma reserves the right to modify, without notice, all parts deemed necessary

Soft Ice Cream Machine S121F

Product features



(Tips: More outward, better performance)

Integrated frozen cylinder

No dead angle, prevent the growth of bacteria

Pasteurization

No need for cleaning for 14 days

Air pump system



Product parameters

Capacity: 50L/H (F) 60L/H (P)	Specification: 810*522*885mm(DWH)	Self-check
Hopper: 2*9.5L	Carton size : 970*630*1090mm(DWH)	Mix-low alarm
Cylinder capacity: 2L*2	N.W.: 168Kg(F)/250Kg(P)	Beater type: SS304
Power: 3.5KW(F)/4.5KW(P)	G.W.: 183Kg(F)/273Kg(P)	Hopper agitator

Refrigeration system

No. of compressors : 2	Gas of compressor : R404A
Compressor brand : EMBRACO	Compressor capacity: 3753BTU/h*2 (F) / 4485BTU/h*2 (P)
Refrigeration type: 上排风	

Transmission system


Motor: 2*750W	Voltage type: 220V/380V-50Hz/60Hz
---------------	-----------------------------------

*production capacity depends on the mix used and the room temperature

All specifications mentioned must be considered approximate; Pasma reserves the right to modify, without notice, all parts deemed necessary

Soft Ice Cream Machine S520F

Product features



(Tips: More outward, better performance)

Options

- Air pump
- Up ventilation
- Water cool

Standby function

Keep the temperature of hopper and cylinder remain 1-4.5°C in the evening



Product parameters

Capacity: 50L/H	Specification: 940*640*1512mm(DWH)	Self-check
Hopper: 2*12.5L	Carton size : 1065*745*1675mm(DWH)	Mix-low alarm
Cylinder capacity: 2.0L*2	N.W.: 226Kg(F)/246Kg(P)	Beater type: SS304
Power: 3.0KW(F)/3.2KW(P)	G.W.: 241Kg(F)/261Kg(P)	Hopper agitator

Refrigeration system

No. of compressors : 2	Gas of compressor : R404A
Compressor brand : EMBRACO/TECUMSEH	Compressor capacity: 3753BTU/h*2
Refrigeration type: Air cool/ Water cool(optional)	

Transmission system


Motor: 2*550W	Voltage type: 220V/380V-50Hz/60Hz
---------------	-----------------------------------

*production capacity depends on the mix used and the room temperature

All specifications mentioned must be considered approximate; Pasmio reserves the right to modify, without notice, all parts deemed necessary

Soft Ice Cream Machine S970F

Product features



(Tips: More outward, better performance)

Options

- Air pump
- Up ventilation
- Water cool

Integrated frozen cylinder

No dead angle, prevent the growth of bacteria

Safety and energy-saving

Adopt the most advanced soft-starting technology, safer and more energy-saving



Product parameters

Capacity: 55L/H(F) 66L/H(P)	Specification: 770*520*1444mm(DWH)	Self-check
hopper: 2*9.5L	Carton size : 970*650*1630mm(DWH)	Mix-low alarm
Cylinder capacity: 2.5L*2	N.W.: 226Kg(F)/246Kg(P)	Beater type: SS304
Power: 3.2KW(F)/3.6KW(P)	G.W.: 241Kg(F)/261Kg(P)	Hopper agitator

Refrigeration system

No. of compressors : 2	Gas of compressor : R404A
Compressor brand : EMBRACO/TECUMSEH	Compressor capacity: 4094BTU/h*2
Refrigeration type: Air cool/ water cool(optional)	

Transmission system


Motor: 2*750W	Voltage type: 220V/380V-50Hz/60Hz
---------------	-----------------------------------

*production capacity depends on the mix used and the room temperature

All specifications mentioned must be considered approximate; Pasmio reserves the right to modify, without notice, all parts deemed necessary

Soft Ice Cream Machine S970Turbo

Product features



(Tips: More outward, better performance)

Integrated frozen cylinder

No dead angle, prevent the growth of bacteria

Pasteurization

No need for cleaning for 14 days

Air pump system



Product parameters

Capacity: 80L/H	Specification: 829*550*1425mm(DWH)	Self-check
Hopper: 2*12.5L	Carton size : 890*670*1680mm(DWH)	Mix-low alarm
Cylinder capacity: 2.0L*2	N.W.: 270Kg	Beater type: SS304
Power: 4.4KW	G.W.: 280Kg	Hopper agitator

Refrigeration system

No. of compressors : 2	Gas of compressor : R404A
Compressor brand : EMBRACO/TECUMSEH	Compressor capacity: 6000BTU/h*2
Refrigeration type: Air cool/ Water cool(optional)	

Transmission system

Motor: 2*1100W	Voltage type: 380V-50Hz/60Hz
----------------	------------------------------


*production capacity depends on the mix used and the room temperature

All specifications mentioned must be considered approximate; PasmO reserves the right to modify, without notice, all parts deemed necessary



Soft Ice Cream Machine S930-FT Auto

Product features



(Tips: More outward, better performance)

Integrated frozen cylinder

No dead angle, prevent the growth of bacteria

Pasteurization

No need for cleaning for 14 days

Auto-vending system

Stable quantity for each cup without manual misoperation



Product parameters

Capacity: 40L/H	Specification: 690*415*690mm(DWH)	Self-check
hopper: 1*9.5L	Carton size : 875*525*970mm(DWH)	Mix-low alarm
Cylinder capacity: 2.0L	N.W.: 112Kg	Beater type: SS304
Power: 1.8KW	G.W.: 122Kg	Hopper agitator

Refrigeration system

No. of compressors : 1	Gas of compressor : R404A
Compressor brand : EMBRACO	Compressor capacity: 3753BTU/h
Refrigeration type: Air cool	

Transmission system

Motor: 750W	Voltage type: 220V/380V-50Hz/60Hz
-------------	-----------------------------------

*production capacity depends on the mix used and the room temperature

All specifications mentioned must be considered approximate; PasmO reserves the right to modify, without notice, all parts deemed necessary

Cream Whipping Machine C02

Product features

- Operation simple and fast
Make cream at any time without waiting
- Adjustable cream pump
Suitable for most whipping cream on the market
- Adjustable overrun to make cream or milk foam as customer needs
- Pre-cooling function
Keep whipping cream fresh for long time
- Removable cream container
Easy for disassembling, replacing and cleaning
- Adjustable discharging method for manual and automatic
Meet needs for cream in different market



Product parameters

Hopper: 2.2L/5L	Specification: 577*234*440mm/680*290*460mm(DWH)	N.W.: 33Kg/50Kg
Power: 0.5KW/0.7KW	Carton size : 580*305*590mm/690*390*600mm(DWH)	G.W.: 41Kg/58Kg

Refrigeration system

No.of compressors : 1	Gas of compressor : R134A
Refrigeration type: Air cool	Compressor capacity: 205BTU/h

Transmission system

Motor: 370W	Voltage type: 220V-50Hz/60Hz
-------------	------------------------------

*production capacity depends on the mix used and the room temperature

All specifications mentioned must be considered approximate; Pasma reserves the right to modify, without notice, all parts deemed necessary

Milkshake machine S728

Product features

- Multifunctional machine for slush and milkshake
Make slush at any time without waiting
- Compact size with high production
- Fast refrigeration speed with large output
Keep making production during peak time
- Simple operation and fit for making different ice cream
Suitable for making milkshake, slush, sorbet and chilled cocktail



Product parameters

Capacity: 50Kg/H	Size: 608*627*420*780mm(TD*BD*W*H)	Self-check
Hopper: 24L	Packing size: 680*550*950mm	Mix low alarm
Cylinder: 4L	N.W.: 120Kg	Beater: SS304
Power: 1.8KW	G.W.: 130Kg	Frequency inverter

Refrigeration system

Compressor : 1	Refrigerant : R290
Compressor brand:Tecumseh	Refrigerating capacity : 5700BTU/h(Shake)/6820BTU/h(Slush)
Heat-dissipating method:Air/Water(optional)	

Transmission system

Motor: 750W	Voltage: 220v/380v-50hz/60hz
-------------	------------------------------

*production capacity depends on the mix used and the room temperature

All specifications mentioned must be considered approximate; Pasma reserves the right to modify, without notice, all parts deemed necessary

Hard ice cream machine S721

Product features

Table top machine

Compact size, fit for all shops

Demountable design

Convenient for cleaning

Simple operation

Suitable for supplying different kinds of ice cream



Product parameters

Hopper: 2.2L	Size: 550*360*740mm(DWH)	G.W.: 98Kg
Power: 1.8KW	N.W.: 90Kg	Self-check

Refrigeration system

Compressor: 1	Refrigerant: R404A
Compressor brand : EMBRACO	Refrigerating capacity : 4094BTU/h
Heat-dissipating method: Air cool	

Transmission system

Motor: 750W	Voltage: 220V/380V-50Hz/60Hz
-------------	------------------------------

*production capacity depends on the mix used and the room temperature

All specifications mentioned must be considered approximate; Pasmio reserves the right to modify, without notice, all parts deemed necessary

Hard ice cream machine S760

Product features

Intelligent control system

Pre-cooling function, keep material fresh

Simple operation

Suitable for making ice cream and sorbet

Check production progress at any time



Product parameters

Hopper: 6L*2	Size: 750*930*684mm(DWH)	Self-check
Power: 1.8KW	N.W.: 251Kg	Mix low alarm
Frequency inverter	G.W.: 273Kg	

Refrigeration system

Compressor : 2	Refrigerant: R404A
Compressor brand : EMBRACO	Refrigerating capacity: 2800BTU/h*2
Heat-dissipating method: Front ventilation / Downward ventilation	

Transmission system

Motor: 370W*2	Voltage: 220V/380V-50Hz/60Hz
---------------	------------------------------

*production capacity depends on the mix used and the room temperature

All specifications mentioned must be considered approximate; Pasmio reserves the right to modify, without notice, all parts deemed necessary

Ice cream light Simulation



Pasmo ice cream light

Simulation edges big ice cream light italian designer design,appearance patent.

Height:1550mm

Diameter:529.8mm

Material :ABS

Voltage:220v-240v



Creative medium ice cream light

Simulation edges,appearance patent.

Height:450mm

Diameter:200mm

Material :ABS

Voltage:220v-240v



Pasmo ice cream model

Simulation edges,appearance patent.

Height:285mm

Length:189mm

Width:95mm

Material :ABS



Pasmo ice cream light (L5)

Italian designer design,appearance patent.

Size:44*38.5*136mm

Diameter:400mm

N.W. :4kg

Voltage:220v-240v



Pasmo ice cream light (L4)

Italian designer design,appearance patent.

Size:40*188*465mm

Diameter:188mm

N.W.:750g

Voltage:220v-240v

Ice cream light Simulation



Pasmo ice cream light

Italian designer design,appearance patent.

Size:460*450*1090mm

N.W.:7kg

Voltage:220v-240v

Creative Product Spoons&Paper cups



Color changing spoons

Size:3*13CM/3000pcs/ctn

Color:green,blue,purple,orange

Material:PP

Temperature resistance:-20°C~110°C



Dinosaur color
changing spoons

Height:180mm

Diameter:2mm

Material :PP

Temperature resistance:-20°C~110°C



Leaf spoons

Size:3*20CM/2000pcs/ctn

Color:green(Custom-made)

Material:PP

Temperature resistance:-20°C~110°C




Color-changing straws

Height:180mm


Diameter:2mm

Material :PP

Temperature resistance:-20°C~110°C



Win-win cooperation Cooperator



MAINTENANCE
TRAINING ABROAD

TECHNICAL SERVICE



• Singapore

PASMO senior engineer was abroad training the local customers in Singapore.



• USA

PASMO senior engineer was abroad training the local customers in the USA.



After-sales service



Respond and resolve customers' concerns quickly



by now a dozen of branches has been established.



Provide overseas maintenance service



There is no extra charge for the warranty

Partner

TAIZHOU PASMO FOOD TECHNOLOGY CO.,LTD

We not only have outstanding customer base, but also grow up rapidly. It needs high quality requirements and bold innovation, to create a high-end ice cream machine brand.

